Endearing sight of nature's

Fragment



Polished Glazed Vitrified Tiles
600x1200mm

GLOSSY COLLECTION

2024
NEW COLLECTION



COMMITTED TO **INNOVATION** & **GROWTH**



THE LURE OF ITS OWN **STYLE**

The prime mission behind the establishment of is the offering unique yet affordable floor tile to the home and office. dreams to become one of the best Floor tiles designers and Manufacturers across the globe.

had introduced new Collection of 600x1200mm floor and wall tiles across the globe which received overwhelming response from the clients. Magnifying the luxury of floor by Italian style tiles is the passion of .


FEATURES
LIQUID REPELLENT
STAIN RESISTANT
SCRATCH RESISTANT
FIRE RESISTANT
RESISTANT TO UV RAYS
IMPACT RESISTANT
FROST RESISTANT
APPLICATIONS
CORPORATE OFFICE
RESIDENTIAL AREA
SCHOOL AND COLLEGE
BANK
HOSPITAL
CAFÉ
TOILET


60x120cm

Adorn your world with

Versatility



POLISHED GLAZED VITRIFIED TILES

600x**1200**mm

ENDLESS FINISH

Residences · Garden & Pools · Hotels · Offices · Restaurants · Shops

Airports · Malls · Public Spaces · Railway Stations · Bathrooms · Kitchens

Polished Glazed Vitrified Tiles
600x**1200**mm
Finish: GLOSSY



Tiles Shown: Ambiance Beige

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

AMBIANCE BEIGE

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

AMBIANCE BIANCO

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

AMBIANCE NATURAL

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles
600x**1200**mm
Finish: GLOSSY



Tiles Shown: Arbecasto Gold

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

ARBECASTO GOLD

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT | STAIN RESISTANT | SCRATCH RESISTANT | FIRE RESISTANT | RESISTANT TO UV RAYS | IMPACT RESISTANT | FROST RESISTANT

ASTON WHITE

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles
600x**1200**mm
Finish: GLOSSY



Tiles Shown: Camron Natural

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

CAMRON NATURAL

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

CAPRIA NATURAL

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

CARMAUX WHITE

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

CARNICO BROWN

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles
600x**1200**mm
Finish: GLOSSY



Tiles Shown: Carnico Grey

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

CARNICO GREY

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT | STAIN RESISTANT | SCRATCH RESISTANT | FIRE RESISTANT | RESISTANT TO UV RAYS | IMPACT RESISTANT | FROST RESISTANT

CORENWHITE

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles
600x**1200**mm
Finish: GLOSSY



Tiles Shown: Dorlin Beige

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

DORLIN BEIGE

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

FLEURY GOLD

Finish: GLOSSY

Available Random 3





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

FONTANA WHITE

Finish: GLOSSY

Available Random 3





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

FRENZY GREY

Finish: GLOSSY

Available Random 3





600x
1200mm

Polished Glazed Vitrified Tiles
600x**1200**mm
Finish: GLOSSY



Tiles Shown: Frenzy Natural

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

FRENZY NATURAL

Finish: GLOSSY

Available Random 3





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

KONSTEIN BEIGE

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

KONSTEIN BIANCO

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles
600x**1200**mm
Finish: GLOSSY



Tiles Shown: Konstein Beige & Konstein Brown

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

KONSTEIN BROWN

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

KONSTEIN GREY

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles
600x**1200**mm
Finish: GLOSSY



Tiles Shown: Malena Brown

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

MALENA BROWN

Finish: GLOSSY

Available Random 3





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

OMANI BEIGE

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

OMANI BROWN

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

OMANI GREY

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT | STAIN RESISTANT | SCRATCH RESISTANT | FIRE RESISTANT | RESISTANT TO UV RAYS | IMPACT RESISTANT | FROST RESISTANT

PERLINO BEIGE

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles
600x**1200**mm
Finish: GLOSSY



Tiles Shown: Perlino Grey

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

PERLINO GREY

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

RICHER NATURAL

Finish: GLOSSY

Available Random 3





600x
1200mm

Polished Glazed Vitrified Tiles
600x**1200**mm
Finish: GLOSSY



Tiles Shown: Siena Sky

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT | STAIN RESISTANT | SCRATCH RESISTANT | FIRE RESISTANT | RESISTANT TO UV RAYS | IMPACT RESISTANT | FROST RESISTANT

SIENA SKY

Finish: GLOSSY

Available Random 2





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT | STAIN RESISTANT | SCRATCH RESISTANT | FIRE RESISTANT | RESISTANT TO UV RAYS | IMPACT RESISTANT | FROST RESISTANT

TARRIER BEIGE

Finish: GLOSSY

Available Random 4

600x
1200mm

Polished Glazed Vitrified Tiles
600x**1200**mm
Finish: GLOSSY



Tiles Shown: Tarrier Bianco & Tarrier Brown

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT | STAIN RESISTANT | SCRATCH RESISTANT | FIRE RESISTANT | RESISTANT TO UV RAYS | IMPACT RESISTANT | FROST RESISTANT

TARRIER BIANCO

Finish: GLOSSY

Available Random 4

600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

TARRIER BROWN

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

TARRIER GREY

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

VALOR ARMANI BEIGE

Finish: GLOSSY

Available Random 4

600x
1200mm

Polished Glazed Vitrified Tiles
600x**1200**mm
Finish: GLOSSY



Tiles Shown: Valor Armani Beige & Valor Armani Brown

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

VALOR ARMANI BIANCO

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

VALOR ARMANI BROWN

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

VALOR ARMANI GREY

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles
600x**1200**mm
Finish: GLOSSY



Tiles Shown: Wilson Grey

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

WILSON GREY

Finish: GLOSSY

Available Random 4





600x
1200mm

Polished Glazed Vitrified Tiles

600x**1200**mm

LIQUID REPELLENT · STAIN RESISTANT · SCRATCH RESISTANT · FIRE RESISTANT · RESISTANT TO UV RAYS · IMPACT RESISTANT · FROST RESISTANT

WILSON WHITE

Finish: GLOSSY

Available Random 4





600x
1200mm

TECHNICAL SPECIFICATION

Sr. No	Characteristics	Method of Testing	Vitrified Tiles ISO 13006 / EN 176 Group Bla	Values
A	**Dimension & Surface Quality**			
1	Deviation in Length & Width	ISO 10545-2	+ / - 0.5%	+ / - 0.1%
2	Deviation in Thickness	ISO 10545-2	+ / - 5.0%	+ / -2.0%
3	Straightness of Sides	ISO 10545-2	+ / - 0.5%	+ / - 0.1%
4	Rectangularity	ISO 10545-2	+ / - 0.5 %	+ / - 0.1%
5	Surface Flatness	ISO 10545-2	+ / - 0.5%	+ / - 0.2%
6	Color Differences	ISO 10545-16	Unaltered	No Change
7	Surface Coating	Nano Machine	As Per Manfacturer Norms	Nano Polished
B	**Physical Properties**			
1	Water Absorption	ISO 10545-3	< 0.5%	0.08%
2	Flexural Strength (MOR)	ISO 10545-4	> 27 N / mm2	> 30 N / mm2
3	Mohs Hardness	EN 101	Min 6	6 Mohs
4	Flexural Breaking Strength	ISO 10545-4	> 1113 N	2350 N
5	Bulk Density (Gm / cc)	DIN 51082	>2 gm/cc	2.35 gm/cc
6	Glossiness	Glossometer	As Per Manfacturer Norms	Min 85 % reflection
7	Slip Resistance Coefficient of Friction	ISO 10545-17	> 0.4	> 0.6
8	Crazing Resistance	ISO 10545-11	Min 4 Cycle @ 7.5 Bar	Passes 4 Cycle
9	Resistance Of Surface Abrasion	ISO 10545-6	As Per Manfacturer Norms	> PEI I V
C	**Chemical Properties**			
1	Staining Resistance	ISO 10545-14	Resistant	Resistant
2	Household Chemicals	ISO 10545-13	No Damage	No Damage
D	**Thermal Properties**			
1	Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage
2	Thermal Expansion	ISO 10545-10	9 x 10 - 6 max	6 x 10 -6
3	Moisture Expansion	ISO 10545 - 10	Nil	Nil

PACKING DETAILS

PRODUCT	SIZE	PCS/BOX	COVERAGE AREA	
GLAZED VITRIFIED TILES	**600x1200mm**	**2**	**1.44 SQ. MTR.**	**15.50 SQ. FT.**

Note : Color shown are as accurate as the limitation of the printing process will allow. Prospective customers are advice to inspect a sample of the tile before ordering. Every efforts has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

APPLICATION


AIRPORT TERMINAL


DISCO THEQUE


RELIGIOUS PLACES


HOTEL


DOMESTIC


OFFICES


INDUSTRIES


GYMNASIUNS


CORRIDOR HALLS


SCHOOLS


SUPER MARKET


SHOPPING MALLS