600x1200mm
gvt | pgvt

Prophet Glossy series

Discover the largest &
most versatile range under
one roof





random effect

highly durable

versatile installation

minimum 3mm space

eco friendly product

wall & floor application

Experience the raw taste with Ceramics, Elevate your space with these stunning tiles that bring rawness and robustness to any room!



we have more than

10 Surfaces

Carving | Crayon | Glitter | Glossy | Grainox
Hi Glossy | Matt | Prism | Sapphire | Satin

Prophet

SERIES

Discover the captivating charm of Carving series. Get ready to be spellbound by the breathtaking beauty that these tiles bring to your space!

600X1200MM
GVT | PGVT



Prophet
SERIES

ALASKA
CARARA

600X**1200**MM

RANDOM : **11**








Alaska
Carara



Prophet
SERIES

Arabescato

600X**1200**MM

RANDOM : **04**





Arabescato



Prophet
SERIES

BUSAN
CLASSIC

600X**1200**MM

RANDOM : **06**








Busan Classic



Prophet
SERIES

Calacatta

600X**1200**MM

RANDOM : **06**





Calacatta



Prophet
SERIES

Calacatta
Cinnamon

600X**1200**MM

RANDOM : **05**








Calacatta
Cinnamon



Prophet
SERIES

Castle White

600X**1200**MM

RANDOM : **04**





Castle
White



Prophet
SERIES

Classic
Coral

600X**1200**MM

RANDOM : **03**








Classic
Coral



Prophet
SERIES

Eros
White

600X**1200**MM

RANDOM : **03**





Eros White



Prophet
SERIES

Glori
White

600X**1200**MM

RANDOM : **03**





Glori White



Prophet
SERIES

Leonardo Carrara

600X**1200**MM

RANDOM : **03**





Leonardo Carrara



Prophet
SERIES

Lovely
Statuario

600X**1200**MM

RANDOM : **04**








Lovely
Statuario



Prophet
SERIES

Minrelia
Impex

600X**1200**MM

RANDOM : **04**








Minrelia
Impex



Prophet
SERIES

Ocean
Titanic

600X**1200**MM

RANDOM : **05**








Ocean
Titanic



Prophet
SERIES

Prophet
Casa

600X**1200**MM

RANDOM : **04**








Prophet Casa



Prophet
SERIES

Prophet
Gironda

600X**1200**MM

RANDOM : **02**








Prophet
Gironda



Prophet
SERIES

Raphel
Gent

600X**1200**MM

RANDOM : **06**





Raphel
Gent



Prophet
SERIES

Romantic
Statuario

600X**1200**MM

RANDOM : **02**





Romantic
Satvariyo



Prophet
SERIES

Romantic Statuario
Grey

600X**1200**MM

RANDOM : **02**





Romantic
Satvariyo
Grey



Prophet
SERIES

Snow
White

600X**1200**MM

RANDOM : **03**








Snow White



Prophet
SERIES

Statuario
Barbados

600X**1200**MM

RANDOM : **04**








Statuario
Barbados



Prophet
SERIES

Statuario
Benetton

600X**1200**MM

RANDOM : **04**





Statuario
Benetton



Prophet
SERIES

Statuario
Blanco

600X**1200**MM

RANDOM : **04**








Statuario Blanco



Prophet
SERIES

Statuario
Cruise

600X**1200**MM

RANDOM : **05**





Statuario
Cruise



Prophet
SERIES

Statuario
Machhia

600X**1200**MM

RANDOM : **05**





Statuario
Machhia



Prophet
SERIES

Statuario
Madox

600X**1200**MM

RANDOM : **04**





Statuario
Madox



Prophet
SERIES

Statuario
Natu

600X**1200**MM

RANDOM : **03**





Statuario
Natu



Prophet
SERIES

Statuario
Star Light

600X**1200**MM

RANDOM : **04**








Statuario
Star Light



Prophet
SERIES

Statuario
Potomac

600X**1200**MM

RANDOM : **04**








Statuario Potomac

Prophet
SERIES

Statuario
White

600X**1200**MM

RANDOM : **05**





Statuario White



Prophet
SERIES

Supreme
Carara

600X**1200**MM

RANDOM : **04**





Supreme
Carara



Prophet
SERIES

Swizer
White

600X**1200**MM

RANDOM : **03**





Swizer White



Prophet
SERIES

Venato Gold

600X**1200**MM

RANDOM : **03**





Venato
Gold



Prophet
SERIES

Venato
Silver

600X**1200**MM

RANDOM : **03**





Venato
Silver



Prophet
SERIES

Walker
Zanger

600X**1200**MM

RANDOM : **03**








Walker Zanger

Technical Specifications

CHARACTERISTIC	STANDARD AS PER ISO-13006/ En14411 GROUP	VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	+0.6%	+0.2%	ISO-10545-2
Deviation in thickness	±5%	+5%	ISO-10545-2
Straightness of sides	±0.5 %	±0.2 %	ISO-10545-2
Rectangularity	±0.5 %	±0.2 %	ISO-10545-2
Surface Flatness	±0.5 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg	>95%	GLOSSOMETER
STRUCTURAL PROPERTIES			
Water absorption	< 0.05%	< 0.05 %	ISO-10545-3
Apparent density	> 2.00 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	Min. 35 N/mm	Min. 40 N/mm^2	ISO-10545-4
Breaking Strength	Min. 1300 N	Min 2000 N	ISO-10545-4
Impact resistance	As per mfg	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg	Min. class4	EN 101
THERMO HYDROMETRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion	Max. 9.0 x 10^{-6}	Max. 6.5x10^{-6}	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
Slip resistance	BS EN ISO 10545-17	<0.40	ISO-10545-17
Fe sistance	As per mfg.	Fire proof	N. A.

Packing Details

Dimension (mm)	No of PC"s/Box	Square Feet	Weight (Approx)
600x1200mm	2	15.5	27Kgs.

FEATURES

